





GO PLACES... RETURN SAFELY... with



SPECIFICATIONS

MOTOR BY JOHNSON... Single cylinder, bore $2\frac{1}{6}$ ", stroke $1\frac{3}{4}$ ", piston displacement 6.2 cu. in. Carburetor is float feed, automotive type, single adjustment for mixture control. Built-in fly-wheel magneto, moisture-proof. Horsepower rating, $\frac{5}{6}$ at 1800 r.p.m. and $\frac{3}{4}$ h.p. at 2400 r.p.m. Chain drive. Simplified adjusting plates.

AUTOMOTIVE COMPRESSION RELEASE... Exclusive Salsbury design; opens automatically when throttle is closed, permitting easy starting.

LUBRICATION . . . Oil supply in crank case of engine. Capacity, I pint

COOLING SYSTEM . . . Efficiently air-cooled by large fins on cylinder; also by intake and exhaust blower fans.

FRAME.... Pressed steel, re-enforced double frame construction.

WHEELS... Pressed steel of exclusive Salsbury design; tires mounted and demounted without affecting bearing adjustment.

BRAKE . . . Positive action, external contracting; woven lining braking surface 18 square inches.

TIRES . . . General Jumbo Junior, size 3½ x 12 with inner tubes.

SEAT... Genuine leather covered, coil spring construction, amply padded with felt and hair; size 12'x13"x5".

BEARINGS . . . Heavy size New Departure ball bearings in the wheels and fork head; their quality is assurance of carefree service.

PARKING STAND . . . Automatically retractible, under running-board.

ACCESSORIES...6-volt electrical system for horn, head light and tail light. Lighting equipment approved in most states. (Batteries not furnished. Four No. 6 dry cells required.) Battery connectors included as standard equipment.

SPEED... 25 to 30 miles per hour.

GASOLINE CONSUMPTION . . . 153.04 miles per gallon by official American Motorcycle Association test.

FUEL TANK ... Capacity, ¾ gallon.

WEIGHT ... 118 pounds.

SIZE... Length, 53 inches over all; width, 23 inches; height, 36 inches. Running-board, 11 inches wide, 5 inches above ground. Seat, 29 inches above ground.

FINISH... High gloss jade green with attractive cream wheels and striping; exposed metal parts chromium-plated. Special colors up quest at extra no l cost.

WARRANTY ... Special Warranty on each Specifications subject to change without notice.









This economical, easily handled, new type vehicle revolutionizes personal and business transportation

From California to Florida MOTOR GLIDE is the travel sensation of the deceeverybody wants one.

NOTE THESE AMAZING FEATURES

ECONOMY... 153 miles per gallon of gasoline by official A.M.A. Test. Oil consumption and tire cost infinitesimal. Fire, theft and collision insurance nominal. Parking cost nil, no garage needed.

SPEED... Twenty-five to thirty miles an hour — four and one-half miles in ten minutes, ideal for average needs.

SAFETY...Can't exceed speed limit, but keeps up with traffic. Close to ground; low center of gravity.

DEPENDABILITY... Tested materials and such standard parts as Johnson Motor, General tires, New Departure ball bearings. Pressed steel frame, Chromium plated parts.

EASY HANDLING... Motor Glide is alert—quick on the trigger, weaves its way through heavy traffic and hugs the roadside. Finger-tip controls. Quick-acting brakes. Weighs 118 pounds.

DIVERSIFIED USES... For Pleasure and Sports... On golf courses; to reach baseball, polo, football and other sports fields; in aeroplanes for ground travel; yacht tender; for picnics; as gad-about on the beach and on city and country estates and farms.

FOR BUSINESS... Messenger boys; paper carriers; construction job inspectors; time-keepers, etc.; at movie studios; airports; oil fields; storage yards; on sports fields; shoppers; salesmen; collectors; professional people, and scores of others.





